

# Journal of Vascular Surgery®

Copyright © 2014 by the Society for Vascular Surgery®

## CONTENTS

Volume 60, Number 3

September 2014

*page*

### CLINICAL RESEARCH STUDIES

- Interfacility transfer and mortality for patients with ruptured abdominal aortic aneurysm** 553

Matthew W. Mell, MD, MS, Nancy E. Wang, MD, Doug E. Morrison, MS, *and* Tina Hernandez-Boussard, PhD, MPH, *Stanford, Calif*

- Endovascular aortic aneurysm repair surveillance may not be necessary for the first 3 years after an initially normal duplex postoperative study** 558

Douglas A. Troutman, DO, Mohammed Chaudry, MD, Matthew J. Dougherty, MD, *and* Keith D. Calligaro, MD, *Philadelphia, Pa*

- Renal function changes after snorkel/chimney repair of juxtarenal aneurysms** 563

Jason T. Lee, MD, Vinit N. Varu, MD, Kenneth Tran, BS, *and* Ronald L. Dalman, MD, *Stanford, Calif*

- Impact of intraoperative adverse events during branched and fenestrated aortic stent grafting on postoperative outcome** 571

Frédéric Cochennec, MD, Hicham Kobeiter, MD, Manj S. Gohel, MD, Marek Majewski, MD, Jean Marzelle, MD, Pascal Desgranges, MD, Eric Allaire, MD, PhD, *and* Jean Pierre Becquemin, MD, *Créteil, France; and Cambridge, United Kingdom*

- Invited Commentary:** Timothy A. Resch, MD, PhD, *Malmö, Sweden* 578

- “Off-the-shelf” devices for complex aortic aneurysm repair** 579

Mark A. Farber, MD, FACS, Raghuveer Vallabhaneni, MD, *and* William A. Marston, MD, *Chapel Hill, NC*

- The impact of endovascular aneurysm repair on aortoiliac tortuosity and its use as a predictor of iliac limb complications** 585

James Coulston, MSc, FRCS, Amy Baigent, MBBS, Haran Selvachandran, Steven Jones, MRCS, Francesco Torella, MD, FRCS, *and* Robert Fisher, MD, FRCS, *Liverpool, United Kingdom*

- The effect of surgeon specialization on outcomes after ruptured abdominal aortic aneurysm repair** 590

Alexander T. Hawkins, MD, MPH, Ann D. Smith, MD, Maria J. Schaumeier, MD, Marit S. de Vos, BS, Nathanael D. Hevelone, MPH, *and* Louis L. Nguyen, MD, MBA, MPH, *Boston, Mass*

**Cover Image:** See Vascular Images, page 784

The *Journal of Vascular Surgery* (ISSN 0741-5214) is published monthly by Elsevier Inc., 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices. POSTMASTER: Send address changes to the *Journal of Vascular Surgery*, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

<b>Comparison of the impact of open and endovascular abdominal aortic aneurysm repair on renal function</b>	<b>597</b>
Athanasios Saratzis, MBBS, MRCS, PhD, Pantelis Sarafidis, MD, MSc, PhD, Nikolaos Melas, MD, PhD, <i>and</i> Harmeet Khaira, MBChB, MD, FRCS, <i>Dudley and Birmingham, United Kingdom; and Thessaloniki, Greece</i>	
<b>Impact of statin therapy on patients with coronary heart disease and aortic aneurysm or dissection</b>	<b>604</b>
Junichi Tazaki, MD, Takeshi Morimoto, MD, PhD, Ryuzo Sakata, MD, Hitoshi Okabayashi, MD, Fumio Yamazaki, MD, Noboru Nishiwaki, MD, Kazuaki Mitsudo, MD, <i>and</i> Takeshi Kimura, MD, on behalf of the CREDO-Kyoto PCI/CABG registry cohort-2 investigators, <i>Kyoto, Hyogo, Iwate, Shizuoka, Nara, and Kurashiki, Japan</i>	
<b>Analysis of multiple genetic polymorphisms in aggressive-growing and slow-growing abdominal aortic aneurysms</b>	<b>613</b>
Tyler Duellman, BS, Christopher L. Warren, PhD, Jon Matsumura, MD, <i>and</i> Jay Yang, MD, PhD, <i>Madison, Wisc</i>	
<b>Use of a novel hybrid vascular graft for sutureless revascularization of the renal arteries during open thoracoabdominal aortic aneurysm repair</b>	<b>622</b>
Roberto Chiesa, MD, Andrea Kahlberg, MD, Daniele Mascia, MD, Yamume Tshomba, MD, Efrem Civilini, MD, <i>and</i> Germano Melissano, MD, <i>Milan, Italy</i>	
<b>Outcomes of endovascular and contemporary open surgical repairs of popliteal artery aneurysm</b>	<b>631</b>
Ying Huang, MD, PhD, Peter Gloviczki, MD, Gustavo S. Oderich, MD, Audra A. Duncan, MD, Manju Kalra, MBBS, Mark D. Fleming, MD, William S. Harmsen, MS, <i>and</i> Thomas C. Bower, MD, <i>Rochester, Minn</i>	
<b>Preoperative symptom type influences the 30-day perioperative outcomes of carotid endarterectomy and carotid stenting in the Society for Vascular Surgery Vascular Registry</b>	<b>639</b>
Patrick J. Geraghty, MD, Thomas E. Brothers, MD, David L. Gillespie, MD, Gilbert R. Upchurch, MD, Michael C. Stoner, MD, Flora S. Siami, MPH, Christopher T. Kenwood, MS, <i>and</i> Philip P. Goodney, MD, <i>St. Louis, Mo; Charleston, SC; Fall River and Watertown, Mass; Charlottesville, Va; Greenville, NC; and Lebanon, NH</i>	
<b>Carotid angioplasty and stenting is safe and effective for treatment of recurrent stenosis after eversion endarterectomy</b>	<b>645</b>
Djordje Radak, MD, PhD, Slobodan Tanaskovic, MD, Dragan Sagic, MD, PhD, Zelimir Antonic, MD, Srdjan Babic, MD, PhD, Petar Popov, MD, PhD, Predrag Matic, MD, <i>and</i> Zoran Rancic, MD, PhD, <i>Belgrade, Serbia; and Zurich, Switzerland</i>	
<b>C-reactive protein and brain natriuretic peptide as predictors of adverse events after lower extremity endovascular revascularization</b>	<b>652</b>
Patrick A. Stone, MD, Haley Schlarb, BS, John E. Campbell, MD, David Williams, MD, Stephanie N. Thompson, PhD, Molly John, MD, James R. Campbell, MD, <i>and</i> Ali F. AbuRahma, MD, <i>Charleston, WV</i>	

# CONTENTS CONTINUED

<b>Neutrophil-lymphocyte ratio as a prognostic marker of outcome in infrapopliteal percutaneous interventions for critical limb ischemia</b>	661
Chun Chan, BRadMedImag, BMBS, Phillip Puckridge, FRACS, Shahid Ullah, MS, PhD, Chris Delaney, BMBS, and J. Ian Spark, MBChB, FRCS, MD, FRCS(Gen), FRACS, <i>Adelaide, South Australia, Australia</i>	
<b>Trends in the incidence, treatment, and outcomes of acute lower extremity ischemia in the United States Medicare population</b>	669
Donald T. Baril, MD, Kaushik Ghosh, PhD, and Allison B. Rosen, MD, MPH, ScD, <i>Pittsburgh, Pa; Cambridge, Mass; and Worcester, Mass</i>	
<b>Routine use of completion imaging after infrainguinal bypass is not associated with higher bypass graft patency</b>	678
Tze-Woei Tan, MD, Denis Rybin, PhD, Jeffrey A. Kalish, MD, Gheorghe Doros, PhD, Naomi Hamburg, MD, Andres Schanzer, MD, Jack L. Cronenwett, MD, and Alik Farber, MD, on behalf of the Vascular Study Group of New England, <i>Shreveport, La; Boston and Worcester, Mass; and Lebanon, NH</i>	
<b>Epidemiology of peripheral arterial disease and critical limb ischemia in an insured national population</b>	686
Mark R. Nehler, MD, Sue Duval, PhD, Lihong Diao, MS, Brian H. Annex, MD, William R. Hiatt, MD, Kevin Rogers, MD, Armen Zakharyan, PhD, and Alan T. Hirsch, MD, <i>Aurora, Colo; Minneapolis, Minn; and Charlottesville, Va</i>	
<b>Outcome of endovascular reintervention for significant stenosis at infrainguinal bypass anastomoses</b>	696
Tim J. van Oostenbrugge, MD, Jean-Paul P. M. de Vries, MD, PhD, Paul Berger, MD, Jan Albert Vos, MD, PhD, Evert P. A. Vonken, MD, PhD, Frans L. Moll, MD, PhD, and Gert Jan de Borst, MD, PhD, <i>Utrecht and Nieuwegein, The Netherlands</i>	
<b>Results of surgical management of acute thromboembolic lower extremity ischemia</b>	702
Kelly Kempe, MD, Brett Starr, BS, Jeanette M. Stafford, MS, Arsalla Islam, MD, Ashley Mooney, MD, Emily Lagergren, MD, Matthew A. Corriere, MD, MS, and Matthew S. Edwards, MD, <i>Winston-Salem, NC</i>	
<b>Impact of psychological factors on objective ambulatory measures in patients with intermittent claudication</b>	708
Daniel J. Torrent, MD, MPH, Mandy R. Maness, MD, Timothy C. Capps, MD, Samuel F. Sears, PhD, Amanda L. Whited, PhD, Dean J. Yamaguchi, MD, Frank M. Parker, MD, and Michael C. Stoner, MD, <i>Greenville, NC; and Rochester, NY</i>	
<b>A comparison of open and endovascular revascularization for chronic mesenteric ischemia in a clinical decision model</b>	715
Wouter Hogendoorn, MD, M. G. Myriam Hunink, MD, PhD, Felix J. V. Schlösser, MD, PhD, Frans L. Moll, MD, PhD, Bart E. Muhs, MD, PhD, and Bauer E. Sumpio, MD, PhD, <i>New Haven, Conn; Utrecht and Rotterdam, The Netherlands; and Boston, Mass</i>	
<b>Retrograde open mesenteric stenting for acute mesenteric ischemia</b>	726
Juliette T. M. Blauw, MD, Robert Meerwaldt, MD, PhD, Marjolein Brusse-Keizer, PhD, Jeroen J. Kolkman, MD, PhD, Dick Gerrits, MD, and Robert H. Geelkerken, MD, PhD, for the Multidisciplinary Study Group of Mesenteric Ischemia, <i>Enschede and Zwolle, The Netherlands</i>	

# CONTENTS CONTINUED

- Prospective, randomized study of cutting balloon angioplasty versus conventional balloon angioplasty for the treatment of hemodialysis access stenoses** 735

Hossam M. Saleh, MD, MRCS, Ahmed K. Gabr, MD, MRCS, Mohamed M. Tawfik, MD, and Hesham Abouellail, MD, *Cairo, Egypt*



- Radiation-induced skin injury after complex endovascular procedures** 742

Melissa L. Kirkwood, MD, Gary M. Arbique, PhD, Jeffrey B. Guild, PhD, Carlos Timaran, MD, R. James Valentine, MD, and Jon A. Anderson, PhD, *Dallas, Tex*

## BASIC RESEARCH STUDIES

- Controlled release of ascorbic acid from gelatin hydrogel attenuates abdominal aortic aneurysm formation in rat experimental abdominal aortic aneurysm model** 749

Akiko Tanaka, MD, Tomomi Hasegawa, MD, PhD, Keisuke Morimoto, MD, Wulan Bao, MD, Jie Yu, MD, Yutaka Okita, MD, PhD, Yasuhiko Tabata, PhD, DMedSci, DPharm, and Kenji Okada, MD, PhD, *Kobe and Kyoto, Japan*

- Conductance sizing balloon for measurement of peripheral artery minimal stent area** 759

Mark C. Svendsen, PhD, A. George Akingba, MD, Anjan K. Sinha, MD, Brooke Chattin, BS, Amelia Turner, BS, Margaret Brass, BS, Deepak L. Bhatt, MD, MPH, and Ghassan S. Kassab, PhD, *Indianapolis, Ind; and Boston, Mass*

- Human ex-vivo model of Stanford type B aortic dissection** 767

Elsa Madeleine Faure, MD, Ludovic Canaud, MD, PhD, Philippe Cathala, MD, Isabelle Serres, MD, Charles Marty-Ané, MD, PhD, and Pierre Alric, MD, PhD, *Montpellier, France*

## CASE REPORTS

- Congenital subclavian steal syndrome with multiple cerebellar infarctions caused by an atypical circumflex retroesophageal right aortic arch with atretic aberrant left subclavian artery** 776

Apostolos T. Mamopoulos, MD, and Bernd Luther, PhD, *Krefeld, Germany*

- Endovascular repair of aortic arch false aneurysm with branched endograft** 780

Andrew Schiro, MD, MRCS, Ganesh Kuhan, MD, FRCS, Adam Pichel, MB, ChB, FRCA, Finn Farquharson, MSc, FRCR, David Murray, MD, FRCS, and Ferdinand Serracino-Inglott, MD, MSc, FRCS, *Manchester, United Kingdom*

## VASCULAR IMAGES

- Natural history of an intra-aortic permanent inferior vena cava filter** 784

N. Thao T. Nguyen, MD, MPH, Neal R. Barshes, MD, MPH, Carlos F. Bechara, MD, MS, and George T. Pisimisis, MD, *Houston, Tex*

# CONTENTS CONTINUED

<b>Images of an occlusive arterial disease of lower extremity due to chronic intoxication by ergot alkaloid</b>	785
Yoann Baudoin, MD, Kevin Guilhem, MD, Leon Meyrat, MD, <i>and</i> Hervé Thouard, MD, <i>Toulon, France</i>	
<b>EDUCATION CORNER</b>	
<b>The 50 most influential original articles in vascular surgery during the last 25 years</b>	786
Frank Stegall, MD, Michael Corey, MD, <i>and</i> Jeffery Dattilo, MD, <i>Nashville, Tenn</i>	
<b>VASCULAR AND ENDOVASCULAR TECHNIQUES</b>	
<b>A new simple method of converting a retrograde femoral access to an antegrade catheterization</b>	792
August Ysa, MD, EBVS, Marta Lobato, MD, Roberto Gómez, MD, Amaia Arruabarrena, MD, Matthew Metcalfe, MD, FRCS, <i>and</i> Juan L. Fonseca, MD, <i>Barakaldo, Spain; and Stevenage, United Kingdom</i>	
<b>TRANS-ATLANTIC DEBATE</b>	
<b>Debate: Whether venous perforator surgery reduces recurrences</b>	796
Mark S. Whiteley, MS, FRCS (Gen), <i>and</i> Thomas F. O'Donnell, MD, <i>Guildford, United Kingdom; and Boston, Mass</i>	
<b>Editors' Commentary:</b> Thomas L. Forbes, MD, <i>and</i> A. Ross Naylor, MBChB, MD, FRCS, <i>London, Ontario, Canada; and Leicester, United Kingdom</i>	803
<b>ABSTRACTS</b>	804
<b>EJVES-JVS ABSTRACTS</b>	807
<b>ABSTRACTS FROM THE 2014 NEW ENGLAND SOCIETY FOR VASCULAR SURGERY/ EASTERN VASCULAR SOCIETY JOINT ANNUAL MEETING</b>	809
<b>LETTERS TO THE EDITOR</b>	
<b>Implications of the 2014 updated American Heart Association/American Stroke Association guidelines for symptomatic carotid patients</b>	837
Kosmas I. Paraskevas, MD, <i>and</i> Frank J. Veith, MD, FACS, <i>Sheffield, United Kingdom; New York, NY; and Cleveland, Ohio</i>	
<b>Regarding "A simple technique to achieve bloodless excision of carotid body tumors"</b>	837
Fang-Da Li, MD, Xiao-Jun Song, MD, Hua-Liang Ren, MD, Yue-Hong Zheng, MD, <i>and</i> Zhi-Qiang Gao, MD, <i>Beijing, China</i>	

# CONTENTS CONTINUED

## READERS SERVICES

Information for authors	17A
Information for readers	18A
Editorial Policies: See July 2014; Vol 60, Issue No. 1, pp 22A-26A; or <a href="http://www.jvascsurg.org">www.jvascsurg.org</a> , Journal Information, Editorial Policies and Procedures	
Events of interest	20A

### CME Credit Available to JVS Readers

Readers can obtain CME credit by reading a selected article and correctly answering four multiple choice questions on the Journal Web site ([www.jvascsurg.org](http://www.jvascsurg.org)). The CME article is identified in the Table of Contents of each issue. After correctly answering the questions and completing the evaluation, readers will be awarded one *AMA PRA Category 1 Credit*<sup>™</sup>.



#### Current Procedural Terminology

Discussion included at the end of this issue.



#### Continuing Medical Education

Test available online at [www.jvascsurg.org](http://www.jvascsurg.org)



#### Online-only Articles

Available online at [www.jvascsurg.org](http://www.jvascsurg.org)